
REFERENCES

- Anonymous. 1988. Galveston Bay seminar executive summary. U.S. Dept. Commerce, Natl. Oceanic Atmospheric Admin., Sea Grant College Progr. TAMU-SG-88-114. 28 pp.
- Benefield, R.L. 1976. Shell dredging sedimentations in Galveston and San Antonio Bays 1964-69. Tx. Parks Wildl. Dept. Tech. Ser. no. 19, 34 pp.
- Benefield, R.L. and R.P. Hofstetter. 1976. Mapping of productive oyster reefs in Galveston Bay, Texas. Tx. Parks Wildl. Dept. Coastal Fish. Branch, Austin, Texas PL88-309 2-218R.
- BUG. 1992. Recommended beneficial use plan for placement of dredged materials. Beneficial Uses Group Final Rpt., U.S. Army Corps of Engineers. 22 pp.
- Burr, J.G. 1929-30. Oysters. Yearbook on Tex. Conservation of Wild Life, Von Boeckmann-Jones Co., Austin, Texas. pp. 1-69.
- Copeland, B.J. and H.D. Hoese. 1966. Growth and mortality of the American oyster, *Crassostrea virginica*, in high salinity shallow bays in central Texas. Publ. Inst. Mar. Sci. Univ. Tex. 11:149-158.
- Cummins, H., E.N. Powell, R.J. Stanton Jr. and G. Staff. 1986. The rate of taphonomic loss in modern benthic habitats: how much of the potentially preservable community is preserved? Palaeogeogr. Palaeoclimatol. Palaeoecol. 52:291-320.
- DeAlteris, J.T. 1988. The application of hydroacoustics to the mapping of subtidal oyster reefs. J. Shellfish Res. 7:41-45.
- Diener, R.A. 1975. Cooperative Gulf of Mexico estuarine inventory and study - Texas: area description. U.S. Dept. Commerce NOAA Tech. Rpt. NMFS CIRC-393. 130 pp.
- Eckhardt, B. 1969. Death of Galveston Bay. Trans. 33rd North American Wildl. Conf., pp. 79-90.
- Gabrysch, R.K. 1984. Ground-water withdrawals and land-surface subsidence in the Houston-Galveston region, Texas, 1906-80. Tx. Dept. Water Resources Rpt. 287, Austin, Texas, 64 pp.
- Galtsoff, P.S. 1931. Survey of oyster bottoms in Texas. U.S. Bur. Fisheries Invest. Rpt. 6, 30 pp.

- Grizzle, R.E. 1990. Distribution and abundance of *Crassostrea virginica* (Gmelin, 1791) (Eastern oyster) and *Mercenaria* spp. (quahogs) in a coastal lagoon. J. Shellfish Res. 9:347-358.
- Hill, F.R. and F.D. Masch. 1969. General considerations prerequisite to further Galveston Bay shell removal. Center for Research in Water Resources, University of Texas, Austin, Texas, Tech. Rpt. HYD 15-6901 CRWR 48.
- Hofstetter, R.P. 1990. The Texas oyster fishery. Tx. Parks Wildl. Dept. Bull. no. 40, 21 pp.
- Jones, L.L. and J. Larson. 1975. Economic effects of land subsidence due to excessive groundwater withdrawal in the Texas Gulf coast area. Texas Water Resources Institute, Texas A&M University, Tech. Rpt. 67, 33 pp.
- Jorgensen, D.G. 1975. Analog-model studies of ground-water hydrology in the Houston district, Texas. Tx. Water Development Board Rpt. 190, Austin, Texas, 84 pp.
- Keck, R., D. Maurer and L. Watling. 1973. Tidal stream development and its effect on the distribution of the American oyster. Hydrobiologia 42:369-379.
- Lukins, R. in press. A profile of artificial reefs in the Gulf of Mexico. Recreational Fisheries Management Sub-committee, Technical Coordinating Committee, Gulf State Marine Fisheries Commission.
- Marshall, N. 1954. Changes in the physiography of oyster bars in the James River, Virginia. Natl. Shellfish. Assoc. Conv. Add. pp. 113-121.
- Masch, F.D. and W.H. Espey Jr. 1967. Shell dredging a factor in sedimentation in Galveston Bay. Center for Research in Water Resources, University of Texas, Austin, Texas, Tech. Rpt. HYD 06-6702 CRWR-7, 168 pp.
- Moore, H.F. 1907. Survey of oyster bottoms in Matagorda Bay, Texas. U.S. Bur. Fish. no. 610.
- Moore, H.F. and E. Danglade. 1915. Condition and extent of the natural oyster beds and barren bottoms of Lavaca Bay, Texas. Rpt. U.S. Comm. Fish. no. 809, App. 2, pp. 1-4.
- Morton, R.A., J.G. Paine and W.A. White. 1983. Historical shoreline changes in the Galveston Bay and San Antonio Bay systems, Texas Gulf coast. Bureau of Economic Geology, Austin, Texas. 150 pp.
- NOAA. 1990. Galveston Bay, Texas. Chart no. 11326, U.S. Dept. Commerce, Natl. Oceanic Atmospheric Admin.
- NOAA. 1991a. Recreational shellfishing in the United States. U.S. Dept. Commerce, Natl. Oceanic Atmospheric Admin. 22 pp.

- NOAA. 1991b. The 1990 national shellfish register of classified estuarine waters. U.S. Dept. Commerce, Natl. Oceanic Atmospheric Admin., Office of Oceanogr. and Marine Assessment. 100 pp.
- Paine, J.G. and R.A. Morton. 1986. Historical shoreline changes in Trinity, Galveston, West, and East Bays, Texas Gulf coast. Geological Circ. 86-3, Bureau of Economic Geology, University of Texas, Austin, Texas, 58 pp.
- Powell, E.N., J.M. Klinck, E.E. Hofmann & S.M. Ray. submitted. Modeling oyster populations IV. Population crashes and management.
- Powell, E.N., G.M. Staff, D.J. Davies and W.R. Callender. 1989. Macrobenthic death assemblages in modern marine environments: formation, interpretation and application. Crit. Rev. Aquat. Sci. 1:555-589.
- Powell, E.N., M.E. White, E.A. Wilson and S.M. Ray. 1987. Small-scale spatial distribution of oysters (*Crassostrea virginica*) on oyster reefs. Bull. Mar. Sci. 41:835-855.
- Quast, W.D., M.A. Johns, D.E. Pitts Jr., G.C. Matlock and J.E. Clark. 1988. Texas oyster fishery management plan source document. Tx. Parks Wildl. Dept. Fishery Management Plan series no. 1, 178 pp.
- Ratzlaff, K.W. 1982. Land-surface subsidence in the Texas coastal region. Tx. Dept. Water Resources Rpt. 272, Austin, Texas, 26 pp.
- Ray, S.M. 1987. Salinity requirements of the American oyster, *Crassostrea virginica*. in A.J. Mueller and G.A. Matthews (eds.) Freshwater inflow needs of the Matagorda Bay system with focus on penaeid shrimp. pp. E.1-E.28, U.S. Dept. Commerce, Natl. Oceanic Atmospheric Admin. Tech. Mem. NMFS-SEFC-189.
- Rehkemper, L.J. 1969. Sedimentology of Holocene estuarine deposits, Galveston Bay. in R.R. Lankford and J.J.W. Rogers (eds.) Holocene geology of the Galveston Bay area. Houston Geological Society, pp. 12-52.
- Reid Jr., G.K. 1955. A summer study of the biology and ecology of East Bay, Texas Part I. Introduction, description of area, methods, some aspects of the fish community, the invertebrate fauna. Tex. J. Sci. 7:316-343.
- TDH. 1992. Classification of shellfish harvesting areas. Map folio MR-344, Texas Department of Health, Division of Shellfish Sanitation Control.
- TGFOC. 1929. Status of oysters, past and present. in Review of Texas wildlife and conservation. Protective efforts from 1879 to the present time, and operations of the fiscal year ending August 31, 1929. Tx. Game Fish Oyster Commission, Austin, Texas, pp. 17-24.

- TPWD, 1976. The oyster reefs of Galveston Bay. Texas Parks Wildl. Dept., Austin, Texas (map folio).
- USACE. 1987. Final feasibility report and environmental impact statement Galveston Bay area navigation study. U.S. Army Corps of Engineers, Galveston District Office.
- USCGS. 1855. Galveston Bay, Texas. U.S. Coast Survey Chart 1 no. 3, U.S. Coast and Geodetic Survey.
- USCGS. 1907. Galveston Bay to Oyster Bay, Texas. Coast Chart no. 205, U.S. Coast and Geodetic Survey.
- USCGS. 1921. Galveston Bay, Texas. Chart no. 204, U.S. Coast and Geodetic Survey.
- USCGS. 1924. Galveston Bay and Approaches. Chart no. 1282, U.S. Coast and Geodetic Survey.
- USCGS. 1957. Galveston Bay and Approaches. Chart no. 1282, U.S. Coast and Geodetic Survey.
- Wilson, E.A., E.N. Powell, T.L. Wade, R.J. Taylor, B.J. Presley and J.M. Brooks. 1992. Spatial and temporal distributions of contaminant body burden and disease in Gulf of Mexico oyster populations: the role of local and large-scale climatic controls. *Helgol. Meeresunters.* 46:201-235.